



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/596,633	06/19/2000	T. TERRY CLANCY	062891.0379	3775
7590 08/23/2005 BARTON E SHOWALTER ESQ BAKER BOTTS LLP 2001 ROSS AVENUE DALLAS, TX 75201-2980			EXAMINER TSEGAYE, SABA	
			ART UNIT 2662	PAPER NUMBER

DATE MAILED: 08/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/596,633

Applicant(s)

CLANCY ET AL.

Examiner

Saba Tsegaye

Art Unit

2662

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 April 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-53 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-53 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. This Office Action is in response to the amendment filed 04/08/05. Claims 1-53 are pending. Currently no claims are in condition for allowance.

Claim Rejections - 35 USC § 102

2. Claims 1-3, 6-8, 10, 12, 14, 15, 17-21, 24-30, 33-37, 41, 42, 44-48 and 50-53 are rejected under 35 U.S.C. 102(e) as being anticipated by Korpela (US 5,946,634).

Regarding claims 1, 7, 20 and 24, Korpela discloses, in Figs. 1,3, 4, 5 and 10, a configurable telecommunications system, comprising:

an interface device (10) having a plurality of telephony resources (a loudspeaker, a microphone, keypad, an LCD, I/O port, a voice call, a data session, fax, videophone) (column 3, lines 57-65) and operable to maintain a local protocol database comprising a plurality of protocol modules (151-153) to identify, for each of the telephony resources (a loudspeaker, a microphone, keypad, an LCD, I/O port, a voice call, a data session, fax, videophone), a protocol module required to process signals received by the telephony resource (column 5, lines 21-30; column 7, lines 38-45), to determine, for each of the identified protocol modules, whether the identified protocol module is valid in the local protocol database (column 6, lines 37-40) to request each of the protocol modules not determined valid (column 6, lines 37-45) from a system controller (25), to receive the requested protocol module (261-263) from the system controller (25), to bind the protocol modules to the respective telephony resource such that the telephony resource processes signaling using the respective protocol module (the processor executes the

Art Unit: 2662

compiler program to compile the protocol from SDL into executable code suitable for operation on the DSP) and to store the requested protocol module in a protocol database(column 6, lines 37-55); and

the system controller (25) operable to maintain a system protocol database (26) storing a plurality of master protocol modules (261-263), to receive requests from the interface device (10) requesting selected ones of the master protocol modules, and to communicate the requested master protocol modules from the system protocol database (26) to interface device (10) (column 5, lines 9-47; column 6, lines 37-65).

Regarding claims 2, 8, 15, 21, 26, 34, 42 and 48, Korpela discloses the system wherein the local protocol database (EEPROM) stores integrated services digital network protocol modules (152) (column 5, lines 9-13).

Regarding claim 3, 17, 35, 44 and 50, Korpela discloses the system, wherein the local protocol database (EEPROM) stores a protocol module for each of the telephony recourses (column 3, lines 63-65; column 5, lines 9-30).

Regarding claim 6, 10, 18, 27 and 45, Korpela discloses the system, wherein interface device is further operable to process signals received using a core signal handler in combination with a selected protocol module from the local protocol database (column 5, lines 9-30).

Regarding claim 12, Korpela discloses, in fig. 12, the system, wherein the controller is further operable to remove an unused protocol module from the protocol database, wherein the

Art Unit: 2662

unused protocol module is not required by any of the resources (column 6, line 66-column 7, line 14).

Regarding claims 14, 41 and 47, Korpela discloses, in Fig 10, a method for configuring a telecommunications device comprising:

- maintaining a local protocol database (EEPROM) comprising a plurality of protocol modules (151-153) (column 5, lines 9-13);

- identifying, for each of a plurality of telephony resources, a protocol module required to process signals received by the telephony resource (column 5, lines 13-30, column 7, lines 38-45);

- determining for each of the identified protocol modules, whether the identified protocol module is valid in the local protocol database (column 6, lines 37-40);

- requesting each of the protocol modules not determined valid from a remote protocol database (column 6, lines 37-45);

- receiving the requested protocol modules (column 6, lines 37-55);

- binding the protocol modules to the respective telephony resource such that the telephony resource processes signaling using the respective protocol module (the processor executes the compiler program to compile the protocol from SDL into executable code suitable for operation on the DSP); and

- storing the requested protocol modules into the local protocol database (column 6, lines 37-55).

Regarding claims 19, 46 and 51, Korpela discloses the system, wherein the remote protocol database stores a plurality of master protocol modules that may be requested by the telecommunications device (column 4, lines 57-67).

Regarding claims 25, 28, 30, 33 and 36, Korpela discloses, in Figs. 2, 4, 5 and 10, a method for processing a telephony signal, comprising:

maintaining a local protocol database (EEPROM) comprising a plurality of protocol modules (151-153);

identifying, for each of a plurality of telephony resources (a voice call, a data session, microphone, speaker), a protocol module required to process signals received by the resource (column 6, lines 29-36);

determining, for each of the identified protocol modules, whether the identified protocol module is valid in the local protocol database (column 6, lines 37-40);

requesting each of the protocol modules not determined valid from a remote protocol database (column 6, lines 41-45);

receiving the requested protocol modules from the remote protocol database (column 6, lines 41-45);

storing the requested protocol modules in the local protocol database (column 6, lines 41-51);

receiving the signal from one of the telephony resources (column 3, line 66-column 4, line 8);

Art Unit: 2662

determining a signal type for the signal using a core signal handler (DSP 13) column 3, line 66-column 4, line 13);

accessing resource information associated with the resource to determine a current state of the telephony resource (column 7, lines 35-68);

selecting one of the protocol modules for processing the signal (column 7, lines 35-68);

binding the protocol modules to the respective telephony resource such that the telephony resource processes signaling using the respective protocol module (the processor executes the compiler program to compile the protocol from SDL into executable code suitable for operation on the DSP); and

processing the signal using the selected protocol module based on the signal type and the current state (column 7, lines 35-68).

Regarding claims 29 and 37, Korpela discloses the software, wherein the signal type indicates a selected one of alerting, call proceeding, connect, setup, suspend, resume, reject, release and status (column 4, line 66-column 4, line 7; column 5, lines 21-37).

Regarding claims 52 and 53, Korpela discloses the system wherein the interface device is further operable to accept a new telephony resource, to detect a presence of the new telephony resource, to request a protocol module associated with the new telephony resource from the system controller in response to detecting the presence of the new telephony resource from the system controller, and to store the requested protocol module associated with the new telephony

Art Unit: 2662

resource in the local protocol database (column 7, lines 35-45; column 6, lines 41-45; claims 6, 8).

Claim Rejections - 35 USC § 103

3. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Korpela. Korpela discloses all the claim limitations as stated above. Further, Korpela discloses, in Fig. 12, that the mobile terminal registers on the network corresponding to the newly downloaded protocol file, the session proceeds using the newly downloads protocols until the registration is terminated or each session has been terminated or the mobile has moved out range. Further, Korpela describes that the mobile terminal is arranged to be reprogrammable to use new communications protocols corresponding to new or **amended** backbone network communications protocols (column 2, lines 46-49).

However, Korpela does not expressly disclose receiving an updated version of protocol module during a communication session.

It would have been obvious to one ordinary skill in the art at the time the invention was made to add a method that update and store the specific protocol in the protocol database during communication session in the system of Korpela. Doing so would provide seamless telephone service that support multiple or different protocol.

4. Claims 4, 5, 9, 11, 16, 22, 23, 31, 32, 38-40, 43 and 49, rejected under 35 U.S.C. 103(a) as being unpatentable over Korpela in view of Kim (US 6,426,963).

Korpela discloses all the claim limitations as stated above. Further, Korpela discloses that the terminal control device determines the type of session and selects the best **available** (determine a current state of the telephony resource) protocol to use. However, Korpela does not expressly disclose a state table to determine an action based on the signal type and resource states.

Kim teaches a technique for configuring a network interface circuit capable of being commonly used in all countries or networks, which have different ISDN protocols. Further, Kim teaches that an execution function table (information for the countries and kinds of networks to be operated that is the kind of ISDN installed and connected currently) is comprised of the start address list of the function program currently operated by the function program belonging to the all function list table.

Therefore, it would have been obvious to one ordinary skill in the art at the time of the invention was made to add a state table indicating responses to signals based on a signal type and a current state of the resource, such as that suggested by Kim, in the system of Korpela in order to provide a reliable communication system and provide a system that monitors the state and usage of protocols.

Response to Arguments

5. Applicant's arguments with respect to claims 1-53 have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 2662


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Saba Tsegaye whose telephone number is (571) 272-3091. The examiner can normally be reached on Monday-Friday (7:30-5:00), First Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on (571) 272-3088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ST
August 17, 2005


JOHN PEZZLO
PRIMARY EXAMINER